TECHNICAL DATA SHEET

SPRAYSEAL®

WOUND DRESSING

PRODUCT CATEGORY

Pruning Wound Treatment

APVMA Approval Number: 80160/123733

ANALYSIS:

Analysis:
Active Constituent: 430g/L TEBUCONAZOLE

KEY BENEFITS:

Sprayseal® is specifically formulated to provide excellent *Eutypa* dieback and *Botryosphaeria* dieback control in a convenient spray-on formulation.

APPLICATION GUIDELINES

Crop	Disease	Rate
Grapevines	*Eutypa* dieback *Botryosphaeria* dieback	Mix 30mL of Sprayseal per 100 litres of water. Shake or stir container well before use. Spray grapevines to runoff. Apply only during the dormant winter period on fresh pruning wounds **within six dieback days** of when the pruning cut is made. Only one spray per season is sufficient.

Application Guidelines

MIX OR STIR WELL BEFORE USE

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTION

FUNGICIDE RESISTANCE WARNING GROUP 3 FUNGICIDE

Sprayseal® is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group 3 fungicide. Some naturally occurring individual fungi resistant to the product and other Group 3 fungicides may exist through normal genetic variability in any fungal population. These resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Omnia Specialities Australia Pty Ltd accepts no liability for any losses that result from failure of this product to control resistant fungi.

MIXING: Prior to pouring, shake container vigorously, then add the required quantity of Sprayseal to water in the spray vat while stirring or with agitators in motion.

RE-ENTRY PERIOD: DO NOT allow entry into treated areas until the spray has dried.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate ponds, waterways and drains with this product or used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area.

DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank.

DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations.

DO NOT burn empty containers or product.

TYPICAL CHEMICAL CHARACTERISTICS:

pH:	-
Colour:	Light Yellow
Form:	Gel
Odour:	Characteristic
Density @ 20°C:	1.06 g/cm^3
Solubility in Water:	Dispersible

PACKAGING SIZES AVAILABLE:

1 L, 5 L

IDEAL STORAGE CONDITIONS:

Store in cool and dry conditions (Preferably below 30°C)

© Copyright 2025. Omnia Specialities (Australia) Pty Ltd.

® Sprayseal is a registered trademark of Omnia

Disclaimer: Please note the information contained in this Technical Data Sheet (TDS) is provided for general guidance and is believed to be accurate and reliable at the time of publication. Although reasonable care and diligence have been exercised with the compilation of this TDS, and the information is given in good faith, the user assumes all risks associated with the use of this information and the use, handling, storage, and disposal of our products. In no event shall Omnia, its affiliates, or its employees be liable for any direct, indirect, incidental, special, or consequential damages arising out of the use or inability to use the information provided in this Technical Data Sheet. This document may be subject to change without notice.

SPRTDS020725