omnia NUTRIOLOGY

PROUDLY MADE IN AUSTRALIA

FOLICAL 19

FOLIAR

RAPIDLY AVAILABLE CALCIUM

200L ☐ 1000L ☐

Scan to access full SDS

APPLICATION RATES

Broadacre Crops	2-5 L/ha	Apply during early plant development and beginning of reproductive cycle.
Cotton	5 L/ha	Apply from row closure and early boll development.
Orchard Crops	5-7 L/ha	2 sprays 4 weeks apart from end of fruit cell division until ripening begins.
Potatoes	5-7 L/ha	2-3 sprays 2 weeks apart from 40mm king tuber.
Sugar Cane	5 L/ha	2 sprays 4 weeks apart from mid growth.
Vegetables	5 L/ha	Repeat every 2-3 weeks during growing season after canopy establishment or during stress events.
Vineyards	3-5 L/ha	2 sprays from pea size until verasion.

DIRECTIONS FOR USE

MIX WELL BEFORE USE

Can be applied by boom spray, aerial spray or fertigation.
Water rates will vary according to crop type, growth stage and canopy area.

If mixing with other products, test for compatibility with a small quantity in a jar.

Scan to access TDS/Technical Data Sheet

Elemental Analysis:	%W/V
Calcium (Ca)	19.0

CONDITIONS OF SALE

Every care is taken during the manufacture of this product. However, as environmental conditions can very considerably, no responsibility can be taken by the manufacturer, importer or his agents for any injury, damage, loss or other results following the use or misuse of this product.

FCAL200L300125

WARNING

Causes serious eye irritation.
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Wash thoroughly after handling.
Wear eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Omnia Specialities Australia Pty Ltd
(ACN 102 717 019)
Tramway Road, Morwell 3840, Victoria, Australia
Tel: +61 3 5133 9118 **E:** info@omnia.net.au
omnia.com.au

omnia NUTRIOLOGY